


Better Health. With You.

Preparation for a Colonoscopy for Patients Prescribed with PEG - 4L

About Colonoscopy

Colonoscopy is a procedure to investigate your large intestine or bowel (colon). Some parts of the small intestine (terminal ileum) can also be investigated. Using the camera on the tip of a flexible tube, diseases that affect the internal lining of the colon can be detected. Your doctor can remove polyps (lumpy growth that can become cancerous) from the internal lining of the colon, or take samples (biopsy) for further evaluation. Piles or haemorrhoids (swellings of the blood vessels in the region of the anus) can also be treated by tying with a medical rubber band.



Dietary Restrictions One Day Before Colonoscopy

• Take only light, low-fibre meals such as:













Eggs



Whitebread (no spread)

White porridge/rice

Lean meat (chicken/fish)

Coffee/tea (no milk)

• Stop taking any dairy products, oily and high-fibre foods such as:



Medication

Polyethylene Glycol Electrolyte Solution (PEG) is used to empty the colon before endoscopy. You may experience nausea, vomiting and diarrhea.

Important:

- Do continue taking your medication for heart disease and high blood pressure.
- Please consult the nearest doctor if you experience vomiting or severe abdominal pain (stomachache).
- Please stop taking blood thinning medication (such as antiplatelet agents and anti-coagulation medication) and iron tablets, as advised by your doctor.
- Do not take your diabetes medication on the day of your colonoscopy.

Patients Scheduled for Colonoscopy Between 8am and 1pm

Time	Instructions	
Start taking the PEG solution 1 day before your colonoscopy.		
7am	Light low-fibre breakfast	
12pm	Light low-fibre lunch	
6pm	Light low-fibre dinner	
6.30pm	Stop consuming solid food until your procedure is done. Please observe fasting instructions as indicated to avoid procedure from being postponed.	
7 - 10pm	Prepare the PEG solution by mixing 3 sachets of PEG powder with 12 glasses of water (total of 3L). Consume the solution and finish it by 10pm.	
10 – 12am	Drink water to replenish the water loss from the effects of drinking the PEG solution.	

One Day Before Procedure

Day of Procedure

Time	Instructions
5 - 6am	No consumption of food is allowed.
	Prepare the PEG solution by mixing 1 sachet of PEG powder with 4 glasses of water (total of 1L). Consume the solution and finish it by 6am.
	You should stop drinking water 2 hours before your colonoscopy appointment.

Patients Scheduled for Colonoscopy Between 1pm and 5pm

Time	Instructions	
Start taking the PEG solution 1 day before your colonoscopy.		
7am	Light low-fibre breakfast	
12pm	Light low-fibre lunch	
6pm	Light low-fibre dinner	
7 - 10pm	Prepare the PEG solution by mixing 3 sachets of PEG powder with 12 glasses of water (total of 3L). Consume the solution and finish it by 10pm.	
10 – 12am	Drink water to replenish the water loss from the effects of drinking the PEG solution.	

One Day Before Procedure

Day of Procedure

Time	Instructions
5am	Light low-fibre breakfast.
5.30am	Stop consuming solid food until your procedure is done. Please observe fasting instructions as indicated to avoid procedure from being postponed.
6 - 7am	No consumption of food is allowed. Prepare the PEG solution by mixing 1 sachet of PEG powder with 4 glasses of water (total of 1L). Consume the solution and finish it by 7am. You should stop drinking water 2 hours before your colonoscopy appointment.

Good vs Poor Bowel Preparation

Inadequate bowel preparation reduces the effectiveness of the colonoscopy procedure and may require a repeated procedure.

If your stool appears like stool 1 to 4 shown below, please report to the Endoscopy Centre 2 hours before your procedure. Your doctor may advise you on additional medication for your bowel preparation.



Arriving For Your Appointment

 On the day of your procedure, please arrive at: Endoscopy Centre, Tower A, Level 2
Woodlands Health Campus
17 Woodlands Drive 17
Singapore 737628





Directions to Woodlands Health Campus

Getting around Campus

- Please arrive 1 hour before your appointment time.
- If you do not receive your appointment details within 3 working days from the date of your clinic visit, please call Endoscopy Centre at 6361 6021 (Monday to Friday, 8.30am to 5.30pm).
- Please keep to your scheduled date. If you are unwell (i.e. fever, cough and flu) or wish to postpone/ cancel the procedure, please call WH Endoscopy Centre during its operating hours, or the Contact Centre at 6363 8000 (Monday to Friday, 8.30am to 5.30pm and Saturday, 8.30am to 12.30pm).

Documents to Bring

Please produce the following documents for verification on admission:

- Referral letter to Endoscopy Centre
- NRIC / Passport / Birth Certificate / Employment Pass or Work Permit
- Medical Benefits: Civil Service Card / Public Service Card (CSC / PS card)
- Medical Benefit Identity Memo (MBIM) for SAF Personnel
- Singapore Blood Transfusion Service Medical Benefits Card
- PA Card (MCD) / Medical Exemption Card (MCD/MOH) / RUAS Card
- Letter of Guarantee (LOG) / Hospital Identity or Admission Card (HIC/HAC)

If you are using Medisave to pay for your admission, please bring along the Medisave Account Holder's NRIC and the completed Medisave form (hardcopy).

Personal Care

Please do not wear any of the following for the procedure:

- Contact lenses
- Make-up
- Jewellery
- Nail varnish



We also ask that you do not bring too much cash, and bring minimal personal belongings as the lockers provided are small.

Discharge Care

- Please arrange for an adult (21 years old and above) to accompany you home if possible.
- Do not drive or operate any vehicle upon discharge.

This brochure is produced for educational purposes and should not be used as a substitute for medical diagnosis or treatment. Please seek the advice of a qualified healthcare provider before starting any treatment or if you have any questions related to your health or medical condition.



Scan QR code to download e-brochure

Information shared is accurate as of May 2024 and subject to revision without prior notice.